CWTF15-1

Height: 16.8" Width: 8.5" Depth: 17.8" (42.7cm) (21.6cm) (45.2cm)



Faucet: Upper

Warmers: One Lower

For most current specifications and other info visit bunn.com.

- Model is space-saving 8.5" (21.6cm) wide
- Hot water faucet (requires active plumbing connection)
- Pourover feature
- SplashGard® funnel deflects hot liquids away from the hand
- · Servers not included unless otherwise noted



Server(s) sold separately

Specifications

Product #: 12950.6031

Water Access: Plumbed

Finish: Black

Funnel: Black Plastic

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	54	60°F (15.5°C)	-	-	-
*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.									

Plumbing Requirements

CAD Drawings

	0		0			
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	-	•		
^						

MARNING:



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

Last Updated: 12/15/2022

Additional Features

Agency:

	Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume		
English	16.8 in.	8.5 in.	17.8 in.	-	-	-	-	-		
Metric	42.7 cm	21.6 cm	45.2 cm	-	-	-	-	-		



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 12/15/2022

 For most current specifications and other info visit bunn.com.
 12/15/2022

Related Products & Accessories:CWTF15-1(12950.6031)





Serving & Holding Options: CWTF15-1(12950.6031)

	BUNN			
EASY POUR®,(BLK) 1/CS	EASY POUR®,(BLK) 2/CS	EASY POUR®,(BLK) 3/CS	EASY POUR®,(BLK) 6/CS	EASY POUR®,(BLK) 12/ CS
Product #:06100.0101	Product #:06100.0102	Product #:06100.0103	Product #:06100.0106	Product #:06100.0112
		BUNN	BUNN	
EASY POUR®,(BLK) 24/ CS	EASY POUR®,(ORN) 1/ CS	EASY POUR®,(ORN) 2/ CS	EASY POUR®,(ORN) 3/ CS	EASY POUR®,(ORN) 24/ CS
Product #:06100.0124	Product #:06101.0101	Product #:06101.0102	Product #:06101.0103	Product #:06101.0124
DECANTER,GLASS-BLK 12C 24/CS	DECANTER,GLASS-BLK 12CUP 1PK	DECANTER,GLASS-BLK 12C 3/CS	DECANTER,GLASS-ORN 12C 24/CS	DECANTER, GLASS- ORN 12 CUP 1PK
Product #:42400.0024	Product #:42400.0101	Product #:42400.0103	Product #:42401.0024	Product #:42401.0101





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 12/15/2022

 For most current specifications and other info visit bunn.com.
 12/15/2022