DUAL TF DBC® SST

Height: 35.7" Width: 21.8" Depth: 23.8" (90.7cm) (55.4cm) (60.5cm)



- Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; coffee strength controlled with variable by-pass.
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- Servers not included unless otherwise noted



Agency:

Specifications

Product #: 34600.6002 Funnel: Smart Funnel

Water Access: Plumbed Faucet: Lower

Interface: Wireless
Finish: Stainless

Additional Features

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached Plug Type		8oz cups/hr Input H²O 236ml cups/hr Temp.		Phase	# Wires plus Ground	Hertz
-	-	-	-	-	302	60°F (15.5°C)	-	-	-

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	3/8" Male Flare Fitting	-				


CAD Drawings


2D	Revit	KLC
•		


MARNING:











Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.7 in.	21.8 in.	23.8 in.	38.8 in.	24.7 in.	25.9 in.	-	14.360 ft ³
Metric	90.7 cm	55.4 cm	60.5 cm	98.4 cm	62.7 cm	65.9 cm	-	0.407 m³



Related Products & Accessories: DUAL TF DBC® SST(34600.6002)




FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



FUNNEL ASSY, W/ **INSERTS SMTF**

Product #: 32643.0000



CARD ASSY, RECIPE TRANSFER (BRW)

Product #: 34447.0016



MHGA, CE IPX1 EURO 220-240V BLK 50HZ

Product #: 35600.0023



Product #: 39000.0002







SYSTEM, WQ-55(3).2

Product #: 56000.0002 Product #: 56000.0005



SYSTEM, WEQ-25(2).2L

Product #: 56000.0025



Product #: 56000.0028









Product #: 56000.0123



Serving & Holding Options: DUAL TF DBC® SST(34600.6002)



TF SERVER, DSG2 1G/3.8L

Product #:42700.0000



TF SERVER, DSG2 1.5G SST

Product #:42750.0000



TF SERVER, DSG2 1.5G BLK

Product #:42750.0001



TF SERVER, DSG2 1.5G CD

Product #:42750.0003



TF SERVER, 1G/3.8L MECH

Product #:44000.0000



TF SERVER, 1.5G/5.7L MECH

Product #:44050.0000



TF SERVER, 1.5G/5.7L MECH BLK

Product #:44050.0001

