ITCB-DV Infusion Series PE, 29" W/TRAY

Height: 35.0" Width: 11.6" Depth: 22.5" (88.9cm) (29.5cm) (57.2cm)





- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology creates an industry best uniformity of extraction for exceptionally smooth tasting coffee
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- · BUNN Infusion Series technology allows for multiple recipes from one footprint
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17- hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Includes integrated flip tray that converts to three positions: thermal carafe, airpot and tea dispenser

Agency:

Funnel: Translucent Tea Funnel





Specifications

Water Access: Plumbed

Interface: Wireless
Finish: Stainless

Additional Features

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	-	-	334	60°F (15.5°C)	1	2	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

	i lumbing requirements							
PSI kPa		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	1.25				

CAD Drawings

2D	Revit	KLC		
•				

MARNING:



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	11.6 in.	22.5 in.	38.0 in.	13.3 in.	27.4 in.	41.610 lbs	7.976 ft ³
Metric	88.9 cm	29.5 cm	57.2 cm	96.5 cm	33.7 cm	69.5 cm	18.874 kgs	0.226 m³



Related Products & Accessories: ITCB-DV Infusion Series PE, 29" W/TRAY(52500.6100)





Serving & Holding Options: ITCB-DV Infusion Series PE, 29" W/TRAY(52500.6100)



TD4T, SIGHT GAUGE NUDGER HDL

Product #:03250.0004



TD4T,BREW THRU LID NUDGER HDL

Product #:03250.0005



TD4T, BREW THRU LID NO DECAL NUDGER HDL

Product #:03250.0018



AIRPOT, 2.5L GL PB SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR, BREW THRU

Product #:34100.0003



THERMAL CARAFE,ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE,ORN 1.9L 1PK

Product #:36252.0001



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



AIRPOT, 3.8L SST LA 6/ CASE

Product #:36725.0100



TDO-N-3.5, RSVR

Product #:39600.0001



Serving & Holding Options: ITCB-DV Infusion Series PE, 29" W/TRAY(52500.6100)



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/ PINCH TUBE

Product #:39600.0047



TF SERVER, 1G DSG **GEN3 NOBASE**

Product #:42700.6250







TF SERVER, 1G MECH **GEN3 NOBASE**

Product #:44000.6250



TF SERVER, 1.5G MECH GEN3

Product #:44050.6200

