KIT, UTILITY COVER-REAR H3X ELEMENT

Height: 0.0" Width: 0.0" Depth: 0.0" (0.0cm) (0.0cm) (0.0cm)

 Includes one back cover and an extended top lid to screw on to H3X Element tower models



Agency:

Specifications

Additional Features

Product #: 53498.1000

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	-	60°F (15.5°C)	-	-	-

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

CAD	Dra	awir	ngs

	9 1					
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
-	-	-	-			

MARNING:



	I	Unit		Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	-	-	-	-	-	-	4.500 lbs	-
Metric	-	-	-	-	-	-	2.041 kgs	-



Related Products & Accessories: KIT, UTILITY COVER-REAR H3X ELEMENT (53498.1000)

Related Products selections are currently unavailable. Please contact your sales representative to find out more information.



Serving & Holding	Options: KIT, UTILITY COVER-REAR H3X ELEMENT(53498.1000)
-------------------	--

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

