Height: 21.32" Width: 4.53" Depth: 4.53" (54.2cm) (11.5cm) (11.5cm)



- Save on maintenance and service costs with a scale control blend that's up to 8 times more scale control capacity, specifically engineered to match the entire chlorine capacity life resulting in reduced scale build-up on evaporator plates and heating coils in both ice machines and coffee brewers
- Protects downstream equipment with 10 micron mechanical filtration offering exceptional sediment holding capacity and particulate reduction rated up to 60,000 gallons
- Certified to NSF Standard 42

NOTE: Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

Agency:



Specifications

Systems and other related parts are certified to NSF International NSF/ANSI Standard 42 and/or NSF International NSF/NANSI Standard 53 as marked.

Product #: 56000.0302 Cartridge Type: Quick Change

Application(s): Replacement Cartridge:

Filtration Type: Filter Change Frequency: Annual

Capacity


| Micron Ratir | ng Service Flow Rate | Water Filter Capacity Chlorine Reduction | Water Filter Capacity Chloramine Reduction | Water Filter Capacity Softening | |
|--------------|---------------------------|---|---|------------------------------------|--|
| 10.0 | 15.0 gal/min (56.8 L/min) | 66000 gal. (249832.7 L) | - | - | |

Plumbing Requirements

| Inlet Connection | Inlet Connection Outlet Connection | | Min Operating Max Operating Pressure Pressure | | Max Operating Temperature | |
|------------------|------------------------------------|------------------|---|-----------|------------------------------|--|
| | | 20 psi (138 kPa) | 125 psi (862 kPa) | 40°F(4°C) | 100°F(38°C) | |

MARNING:





| Dimensions of Filter System (filter head with filter cartridge) | | | | stalled Dimension | | Cartridge Dimensions (filter cartridge only) | | | |
|--|--------|-------|-------|-------------------|-------|---|-----------|----------|----------|
| | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth |
| English | - | - | - | - | - | - | 21.32 in. | 4.53 in. | 4.53 in. |
| Metric | - | - | - | - | - | - | 54.2 cm | 11.5 cm | 11.5 cm |

| Weight | | | | Shipping | | | |
|---------|---------|---------|--------|----------|-------|--------|--------|
| | Dry | Wet | Height | Width | Depth | Weight | Volume |
| English | 0.0 lbs | 0.0 lbs | - | - | - | - | - |
| Metric | - | - | - | - | - | - | - |

WARRANTY: BUNN High Performance Water Filtration Solutions Systems by BUNN® (excluding water filters and water treatment replacement cartridges) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase, under normal use and service, and when installed in accordance with manufacturer's recommendations outlined in the filtration systems owner's manual. BUNN replaceable elements (water treatment cartridges, filter elements, and feeder elements) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase or the remainder of the original warranty, whichever is longer. See printed warranty for full details. BUNN will provide a copy of the warranty upon request.



Related Products & Accessories: (56000.0302)



Product #: 56000.0200



MANIFOLD, WQ-TRIPLE

Product #: 56000.0202





Model Compatibility: (56000.0302)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

