



Item# \_\_\_\_\_

Job \_\_\_\_\_



## qwikSIGHT™ Basket Supply System

Quick to find, quick to access, quick to retrieve, quick to restock the supplies that you need.

- **Cleaner Containment:** Open wire basket contains supplies, provides better light penetration and prevents dust accumulation.
- **Better Accessibility:** Cantilever design provides open access to see and access stored contents. Baskets can be angled, especially at higher levels, to provide easier access to stored items.
- **Better Visibility:** Absence of front posts and the waterfall effect of narrow baskets placed directly above deeper baskets provides more visibility to stored contents.
- **Durable Construction:** Structure has three crossbars on single sided units and four on double, to keep uprights parallel and keep the structure square during daily use and after incidental contact. Bottom dust cover is directly supported by structure for years of trouble free use.
- **Organized Storage:** Snap in dividers, available in 12" (305mm) and 18" (457mm) depths, fit flush with basket floor to organize contents without snagging supplies in the basket below.
- **Protective and aesthetic:** Uprights have a durable baked on epoxy coated finish in an attractive light taupe color. Baskets are coated with a thicker layer to soften the wire ends and eliminate sharp edges.
- **Easy Adjustability:** Numbered uprights allow for quick, tool free, adjustment at 1" (25mm) intervals along the entire height of the upright.
- **Flexible Configurations:** Single sided or space saving double sided for back to back configurations. Stationary or mobile to make cleaning easier. Space efficient direct mount caster configuration or extension bars to increase stability when moved.
- **Adaptable Basket:** Unique baskets can be mounted to qwikSIGHT uprights or hung on louvered wall panels.
- **Accessories:** Full length clear label holders or colored label holders help to quickly locate and identify needed accessories. Slanted shelves, wall panels and hooks provide an added level of organization.



qwikSIGHT™ Basket Supply System

18.01



InterMetro Industries Corporation  
North Washington Street  
Wilkes-Barre, PA 18705  
[www.metro.com](http://www.metro.com)

Job \_\_\_\_\_



## qwikSIGHT™ Basket Supply System

### Specifications

**Frame:** 1" x 2" (25mm x 51mm) epoxy coated steel tubing uprights, notched and numbered on 1" increments for easy basket adjustment. Three ½" x 2" (13mm x 51mm) epoxy coated steel cross bars – two mounted on vertical upright, one mounted on bottom horizontal section to maintain a parallel, rigid structure. Frames are 74" (1880mm)H and available single sided, 21 ½" (546mm)D or double sided 40½" (1029mm)D. Four bars are provided on double sided units.

**Dust Cover:** Solid, epoxy coated steel, directly supported by steel frame to provide stable, rugged performance.

**Color:** Light Taupe

**Stationary or Mobile\*:** Stationary units include four levelers to compensate for uneven floor surface. Mobile units use four 4" (102mm) diameter brake casters to fix units in place. Casters can mount direct to frame to reduce footprint and maximize storage efficiency or use optional caster extension bars to increase stability when moving\*.

**Baskets:** Wire baskets are constructed with ½"(13mm) grid spacing, with a thick epoxy finish to cover wire ends and prevent sharp edges. Baskets include brackets that can be installed along 1" (25mm) notches in upright at one of three positions, horizontal, 11° or 21° upward slant. Available in 12" (305mm) or 18" (457mm) depths and 18" (457mm), 36" (914mm) or 48" (1219mm) lengths. Baskets accept optional dividers and label holders.

**Weight Capacity:** 100lbs (45kg) per basket, 375lbs (170kg) per mobile unit, 500lbs (227kg) per stationary unit

| Catalog<br>Number                       | Description                              | Dimensions (DxWxH) |                   | Pkd. Wt. |    |
|-----------------------------------------|------------------------------------------|--------------------|-------------------|----------|----|
|                                         |                                          | in.                | mm                | lbs.     | kg |
| Single Sided - Frames with Dust Cover** |                                          |                    |                   |          |    |
| QB1874-1                                | 18"L SGL Starter - Frames, Bars, Shelf   | 21½ x 19½ x 74     | 546 x 495 x 1880  | 36       | 16 |
| QB3674-1                                | 36"L SGL Starter - Frames, Bars, Shelf   | 21½ x 37½ x 74     | 546 x 953 x 1880  | 46       | 21 |
| QB4874-1                                | 48"L SGL Starter - Frames, Bars, Shelf   | 21½ x 49½ x 74     | 546 x 1257 x 1880 | 56       | 25 |
| QB1874-1A                               | 18"L SGL Adder - Frames, Bars, Shelf     | 21½ x 18½ x 74     | 546 x 470 x 1880  | 25       | 11 |
| QB3674-1A                               | 36"L SGL Adder - Frames, Bars, Shelf     | 21½ x 36½ x 74     | 546 x 927 x 1880  | 35       | 16 |
| QB4874-1A                               | 48"L SGL Adder - Frames, Bars, Shelf     | 21½ x 48½ x 74     | 546 x 1232 x 1880 | 45       | 20 |
| Dual Sided - Frames with Dust Cover     |                                          |                    |                   |          |    |
| QB1874-2                                | 18"L DBL Starter - Frames, Bars, Shelves | 40½ x 19½ x 74     | 1029 x 495 x 1880 | 43       | 20 |
| QB3674-2                                | 36"L DBL Starter - Frames, Bars, Shelves | 40½ x 37½ x 74     | 1029 x 953 x 1880 | 55       | 25 |
| QB4874-2                                | 48"L DBL Starter - Frames, Bars, Shelves | 40½ x 49½ x 74     | 1029 x1257 x 1880 | 67       | 30 |
| QB1874-2A                               | 18"L DBL Adder - Frames, Bars, Shelves   | 40½ x 18½ x 74     | 1029 x 470 x 1880 | 30       | 14 |
| QB3674-2A                               | 36"L DBL Adder - Frames, Bars, Shelves   | 40½ x 36½ x 74     | 1029 x 927 x 1880 | 42       | 19 |
| QB4874-2A                               | 48"L DBL Adder - Frames, Bars, Shelves   | 40½ x 48½ x 74     | 1029 x1232 x1880  | 54       | 24 |
| Casters and Caster Extension Bars       |                                          |                    |                   |          |    |
| QB4B                                    | 4" Diameter Brake Caster, qty 1          | 1¼ x 4             | 32 x 102          | 7        | 3  |
| QB18EB                                  | 18"D Caster Extension Bar - Single Sided | 26⅞ x 1⅞ x ½       | 664 x 29 x 13     | 10       | 5  |
| QB36EB                                  | 36"D Caster Extension Bar - Dual Sided   | 44¼ x 1⅞ x ½       | 1124 x 29 x 13    | 13       | 6  |
| Baskets                                 |                                          |                    |                   |          |    |
| QB1218B                                 | 12"Dx18"L Basket w/ Brackets             | 12 x 18 x 7        | 305 x 457 x 178   | 7        | 3  |
| QB1236B                                 | 12"Dx36"L Basket w/ Brackets             | 12 x 36 x 7        | 305 x 914 x 178   | 10       | 5  |
| QB1248B                                 | 12"Dx48"L Basket w/ Brackets             | 12 x 48 x 7        | 305 x 1219 x 178  | 13       | 6  |
| QB1818B                                 | 18"Dx18"L Basket w/ Brackets             | 18 x 18 x 7        | 457 x 457 x 178   | 8        | 4  |
| QB1836B                                 | 18"Dx36"L Basket w/ Brackets             | 18 x 36 x 7        | 457 x 914 x 178   | 13       | 6  |
| QB1848B                                 | 18"Dx48"L Basket w/ Brackets             | 18 x 48 x 7        | 457 x 1219 x 178  | 16       | 7  |

\* Mobile units are intended to be moved for cleaning or relocating. Not designed for transport..

\*\*Levelers add 5/8" - 1 3/8" (16 - 35mm) to overall height for stationary. Caster with extender adds 6" (152mm)H and caster only adds 5 ½" (140mm)H  
Basket front inside height is 3" (76mm)H



**InterMetro Industries Corporation**  
North Washington Street  
Wilkes-Barre, PA 18705  
www.metro.com

LO2-199  
Printed in U.S.A. 4/13  
Information and specifications are subject to change  
Without notice. Please confirm at time of order.

Copyright © 2013 InterMetro Industries Corp.



Job \_\_\_\_\_

## qwikSIGHT™ Basket Supply System



## qwikSIGHT Basket Supply System

| Description                                                                              | Dimensions WxL |            | Height |      | Starter  | Adder     |
|------------------------------------------------------------------------------------------|----------------|------------|--------|------|----------|-----------|
|                                                                                          | in.            | mm         | in.    | mm   | Cat. No. | Cat. No.  |
| <b>Single Sided Stationary* 6 Level - Three 12" (305mm)D, Three 18" (457mm)D Baskets</b> |                |            |        |      |          |           |
| 18"L, 6 BSKT 3-18, STATIONARY                                                            | 21 ½ x 19 ½    | 546 x 495  | 74     | 1880 | QB118-S6 | QB118-S6A |
| 36"L, 6 BSKT 3-18, STATIONARY                                                            | 21 ½ x 37 ½    | 546 x 953  | 74     | 1880 | QB136-S6 | QB136-S6A |
| 48"L, 6 BSKT 3-18, STATIONARY                                                            | 21 ½ x 49 ½    | 546 x 1257 | 74     | 1880 | QB148-S6 | QB148-S6A |
| <b>Single Sided Stationary* 7 Level - Three 12" (305mm)D, Four 18" (457mm)D Baskets</b>  |                |            |        |      |          |           |
| 18"L, 7 BSKT 4-18, STATIONARY                                                            | 21 ½ x 19 ½    | 546 x 495  | 74     | 1880 | QB118-S7 | QB118-S7A |
| 36"L, 7 BSKT 4-18, STATIONARY                                                            | 21 ½ x 37 ½    | 546 x 953  | 74     | 1880 | QB136-S7 | QB136-S7A |
| 48"L, 7 BSKT 4-18, STATIONARY                                                            | 21 ½ x 49 ½    | 546 x 1257 | 74     | 1880 | QB148-S7 | QB148-S7A |
| <b>Single Sided Mobile** 6 Level - Three 12" (305mm)D, Three 18" (457mm)D Baskets</b>    |                |            |        |      |          |           |
| 18"L, 6 BSKT 3-18, MOBILE                                                                | 21 ½ x 19 ½    | 546 x 495  | 79 ½   | 2019 | QB118-M6 | QB118-M6A |
| 36"L, 6 BSKT 3-18, MOBILE                                                                | 21 ½ x 37 ½    | 546 x 953  | 79 ½   | 2019 | QB136-M6 | QB136-M6A |
| 48"L, 6 BSKT 3-18, MOBILE                                                                | 21 ½ x 49 ½    | 546 x 1257 | 79 ½   | 2019 | QB148-M6 | QB148-M6A |
| <b>Single Sided Mobile** 7 Level - Three 12" (305mm)D, Four 18" (457mm)D Baskets</b>     |                |            |        |      |          |           |
| 18"L, 7 BSKT 4-18, MOBILE                                                                | 21 ½ x 19 ½    | 546 x 495  | 79 ½   | 2019 | QB118-M7 | QB118-M7A |
| 36"L, 7 BSKT 4-18, MOBILE                                                                | 21 ½ x 37 ½    | 546 x 953  | 79 ½   | 2019 | QB136-M7 | QB136-M7A |
| 48"L, 7 BSKT 4-18, MOBILE                                                                | 21 ½ x 49 ½    | 546 x 1257 | 79 ½   | 2019 | QB148-M7 | QB148-M7A |



QB148-S7



QB136-M7

| Description                                                                            | Dimensions WxL |            | Height |      | Starter   | Adder      |
|----------------------------------------------------------------------------------------|----------------|------------|--------|------|-----------|------------|
|                                                                                        | in.            | mm         | in.    | mm   | Cat. No.  | Cat. No.   |
| <b>Double Sided Stationary* 6 Level - Six 12" (305mm)D, Six 18" (457mm)D Baskets</b>   |                |            |        |      |           |            |
| 18"L, 12 BSKT 6-18, STATIONARY                                                         | 40 ½ x 19 ½    | 546 x 495  | 74     | 1880 | QB218-S12 | QB218-S12A |
| 36"L, 12 BSKT 6-18, STATIONARY                                                         | 40 ½ x 37 ½    | 546 x 953  | 74     | 1880 | QB236-S12 | QB236-S12A |
| 48"L, 12 BSKT 6-18, STATIONARY                                                         | 40 ½ x 49 ½    | 546 x 1257 | 74     | 1880 | QB248-S12 | QB248-S12A |
| <b>Double Sided Mobile** 6 Level - Six 12" (305mm)D, Six 18" (457mm)D Baskets</b>      |                |            |        |      |           |            |
| 18"L, 12 BSKT 6-18, MOBILE                                                             | 40 ½ x 19 ½    | 546 x 495  | 79 ½   | 2019 | QB218-M12 | QB218-M12A |
| 36"L, 12 BSKT 6-18, MOBILE                                                             | 40 ½ x 37 ½    | 546 x 953  | 79 ½   | 2019 | QB236-M12 | QB236-M12A |
| 48"L, 12 BSKT 6-18, MOBILE                                                             | 40 ½ x 49 ½    | 546 x 1257 | 79 ½   | 2019 | QB248-M12 | QB248-M12A |
| <b>Double Sided Stationary* 7 Level - Six 12" (305mm)D, Eight 18" (457mm)D Baskets</b> |                |            |        |      |           |            |
| 18"L, 14 BSKT 8-18, STATIONARY                                                         | 40 ½ x 19 ½    | 546 x 495  | 74     | 1880 | QB218-S14 | QB218-S14A |
| 36"L, 14 BSKT 8-18, STATIONARY                                                         | 40 ½ x 37 ½    | 546 x 953  | 74     | 1880 | QB236-S14 | QB236-S14A |
| 48"L, 14 BSKT 8-18, STATIONARY                                                         | 40 ½ x 49 ½    | 546 x 1257 | 74     | 1880 | QB248-S14 | QB248-S14A |
| <b>Double Sided Mobile** 7 Level - Six 12" (305mm)D, Eight 18" (457mm)D Baskets</b>    |                |            |        |      |           |            |
| 18"L, 14 BSKT 8-18, MOBILE                                                             | 40 ½ x 19 ½    | 546 x 495  | 79 ½   | 2019 | QB218-M14 | QB218-M14A |
| 36"L, 14 BSKT 8-18, MOBILE                                                             | 40 ½ x 37 ½    | 546 x 953  | 79 ½   | 2019 | QB236-M14 | QB236-M14A |
| 48"L, 14 BSKT 8-18, MOBILE                                                             | 40 ½ x 49 ½    | 546 x 1257 | 79 ½   | 2019 | QB248-M14 | QB248-M14A |



QB236-M12

\*Levelers add ¾" - 1 ½" (16 - 35mm) to overall height for stationary.

\*\*Mobile units are intended to be moved for cleaning or relocating. Not designed for transport.

\*\*Caster with extender adds ½" (13mm) to overall mobile unit height.

Adder Units—deduct 1" (25mm) from unit length.



**InterMetro Industries Corporation**  
 North Washington Street  
 Wilkes-Barre, PA 18705  
[www.metro.com](http://www.metro.com)


18.01



Job \_\_\_\_\_



# qwikSIGHT™ Basket Supply System



Colored Label Holder (shown with labels)  
**QB03LHRD** - Red   **QB03LHOR** - Orange   **QB03LHYL** - Yellow  
**QB03LHGR** - Green   **QB03LHBL** - Blue   **QB03LHPK** - Pink  
**QB03LHCL** - Clear



**QB36LHC** Clear Label Holder  
 (shown with labels)



**QB12D**  
**QB18D**

| Description                | Dimension WxL |     | Height |     | Pkd. Wt. |    | Catalog Number |
|----------------------------|---------------|-----|--------|-----|----------|----|----------------|
|                            | in.           | mm  | In.    | mm  | lbs.     | kg |                |
| <b>Dividers</b>            |               |     |        |     |          |    |                |
| 3"L Divider                | 6             | 152 | 3      | 76  | .2       | .1 | <b>QB03D</b>   |
| 6"L Divider                | 6             | 152 | 6      | 152 | .4       | .2 | <b>QB06D</b>   |
| 12"L Divider front to back | 12            | 305 | 6      | 152 | .5       | .2 | <b>QB12D</b>   |
| 18"L Divider front to back | 18            | 457 | 6      | 152 | .8       | .4 | <b>QB18D</b>   |

|                                                                  |    |      |     |    |    |    |                          |
|------------------------------------------------------------------|----|------|-----|----|----|----|--------------------------|
| <b>Label Holders</b>                                             |    |      |     |    |    |    |                          |
| 18"L Label Holder, Clear, qty 1                                  | 17 | 432  | 1 ¼ | 32 | .2 | .1 | <b>QB18LHC</b>           |
| 36"L Label Holder, Clear, qty 1                                  | 35 | 889  | 1 ¼ | 32 | .3 | .1 | <b>QB36LHC</b>           |
| 48"L Label Holder, Clear, qty 1                                  | 47 | 1194 | 1 ¼ | 32 | .4 | .2 | <b>QB48LHC</b>           |
| 3"L Label Holder, qty 50 -<br>(Colors and catalog numbers above) | 3  | 76   | 1 ¼ | 32 | .6 | .3 | <b>QB03LH</b><br>(color) |

## Louvered Panel Mounting Brackets

|                            |   |     |    |     |   |   |                  |
|----------------------------|---|-----|----|-----|---|---|------------------|
| 18" Frame Mounting Bracket | 5 | 127 | 18 | 457 | 3 | 1 | <b>QBLP18MTG</b> |
| 36" Frame Mounting Bracket | 5 | 127 | 36 | 914 | 5 | 2 | <b>QBLP36MTG</b> |


| Description                           | Dimension WxL |            | Height |      | Pkd. Wt. |    | Cat. No.        |
|---------------------------------------|---------------|------------|--------|------|----------|----|-----------------|
|                                       | in.           | mm         | in.    | mm   | Lbs.     | kg |                 |
| <b>Louvered Panel and Accessories</b> |               |            |        |      |          |    |                 |
| 18" x 19" Louvered Panel              | 18            | 457        | 19     | 483  | 3        | 1  | <b>QB1819WP</b> |
| 18" x 61" Louvered Panel              | 18            | 457        | 61     | 1549 | 9        | 4  | <b>QB1861WP</b> |
| 36" x 19" Louvered Panel              | 36            | 914        | 19     | 483  | 5        | 2  | <b>QB3619WP</b> |
| 36" x 61" Louvered Panel              | 36            | 914        | 61     | 1549 | 17       | 8  | <b>QB3661WP</b> |
| 9" Light Duty Spike - Single Rod      | 9             | 229        |        |      | .1       | .1 | <b>QB09WPS</b>  |
| 10" Light Duty Spike - Dual Rod       | 10            | 254        |        |      | .2       | .1 | <b>QB10WPS</b>  |
| 12" Equipment Spike - Heavy Duty      | 12            | 305        |        |      | 1        | .5 | <b>QB12WPS</b>  |
| 12" x 18" Basket                      | 12 x 18       | 305 x 457  | 7      | 178  | 6        | 3  | <b>QB1218</b>   |
| 12" x 36" Basket                      | 12 x 36       | 305 x 914  | 7      | 178  | 10       | 4  | <b>QB1236</b>   |
| 12" x 48" Basket                      | 12 x 48       | 305 x 1219 | 7      | 178  | 12       | 5  | <b>QB1248</b>   |
| 18" x 18" Basket                      | 18 x 18       | 457 x 457  | 7      | 178  | 7        | 3  | <b>QB1818</b>   |
| 18" x 36" Basket                      | 18 x 36       | 457 x 914  | 7      | 178  | 12       | 5  | <b>QB1836</b>   |
| 18" x 48" Basket                      | 18 x 48       | 457 x 1219 | 7      | 178  | 15       | 7  | <b>QB1848</b>   |



**QB03D**



**QB06D**




**QB3619WP with**  
 One **QB1236**  
 One **QB1836**



**QB09WPS**



**QB10WPS**



**QB12WPS**



**InterMetro Industries Corporation**  
 North Washington Street  
 Wilkes-Barre, PA 18705  
[www.metro.com](http://www.metro.com)

LO2-199  
 Printed in U.S.A. 6/16  
 Information and specifications are subject to change  
 Without notice. Please confirm at time of order.

Copyright © 2013 InterMetro Industries Corp.