X10: Specifications

Recommended maximum daily output	100	
Areas of use		
Large offices	\checkmark	
Canteens	\checkmark	
Self-service areas	✓	
Care facilities	✓	
Specialities		
Espresso	\checkmark	
2 × Espresso	\checkmark	
Cold Brew Espresso	✓	
Coffee	✓	
2 × Coffee	✓	
Cold Brew Coffee	✓	
Americano	✓	
2 x Americano	✓	
Cold Brew Americano	✓	
Lungo	✓	
2 x Lungo	✓	
Cold Brew Lungo	✓	

2 × Cortado	√
Cold Brew Cortado	√
Caffè latte	\checkmark
2 × Caffè latte	✓
Cold Brew Caffè latte	✓
Cappuccino	✓
2 × Cappuccino	✓
Cold Brew Cappuccino	✓
Cappuccino Extra Shot	✓
Flat white	✓
2 × Flat white	✓
Cold Brew flat white	✓
Flat white Extra Shot	✓
Latte macchiato	✓
2 × Latte macchiato	✓
Cold Brew Latte macchiato	✓
Latte macchiato Extra Shot	✓
Portion of milk foam	✓
2 × Portion of milk foam	✓
Portion of milk	✓
2 × Portion of milk	✓
Hot water	✓
Number of cups per hour (as per DIN 18873-2)	
Espresso	92

2 × Espresso	134
Coffee	68
2 × Coffee	80
Cappuccino	72
2 × Cappuccino	104
Hot water	60
Specific benefits	
Number of specialities	35
Cold Extraction Process	\checkmark
Automatic switching between milk and milk foam	\checkmark
Wi-Fi connection to home network	\checkmark
Transmitter supplied as standard	-
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	\checkmark
One-Touch Lungo function	\checkmark
Variable brewing unit	5-16 g
Grinder	P.A.G.2+
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid systems	1
Milk system / interchangeable milk spout	HP3/CX2
Aroma preservation cover	\checkmark
Active bean monitoring	\checkmark

Operating and programming standards	
Display	3.5" colour display with buttons
Individually programmable quantity of water for coffee	✓
Individually programmable coffee strength	10 levels
Individually programmable amount of milk/milk foam	✓
Individually programmable milk/milk foam temperature	3 levels
Individually programmable brewing temperature	3 levels
Individually programmable hot water temperature	3 levels
Resettable day counter	✓
Shows the number of preparations for each individual product	✓
Connectivity	
Smart Connect	✓
Wi-Fi Connect	✓
Payment Connect	✓
MDB Connect	√
Hygiene standards	
Automatic filter detection	✓
Filter cartridge	CLARIS Pro Smart+
One-Touch milk system cleaning (automatic)	✓
Integrated rinsing, cleaning and descaling programme	✓
Monitored drip tray	✓
Lockable bean container and water tank	✓
JURA hygiene: TÜV-certified	✓

Energy standards

Energy Save Mode (E.S.M.©)	\checkmark
Zero-Energy Switch or power switch	\checkmark
Programmable switch-off time	✓
Design and materials	
Cup illumination	\checkmark

In figures

iii ligures	
Height-adjustable spout	2.5 – 5.9 in / 63 – 150 mm
Height-adjustable dual spout with hot-water spout	63 – 150 mm
Water tank capacity	169.1 oz / 5 l
Bean container holding capacity	17.6 oz / 500 g
Bean container optionally expanded to	1 kg
Coffee grounds container (approx. servings)	40
Cable length	47.2 in / 1.2 m
Voltage / power	120 V ~ / 1450 W
Current	10 A
Stand-by power	< 0,5 W
Weight	14 kg
Weight (net)	14 kg
Weight (gross)	17.1 kg
Weight	30.9 lbs / 14 kg
Dimensions (W \times H \times D)	14.7 in \times 18.5 in \times 18.1 in / 37.3 cm \times 47 cm \times 46.1 cm
Dimensions (W×H×D) with bean container attachment	$37.3 \times 52.4 \times 46.1$ cm

Article number, product code	15669, Dark Inox (NAA)
EAN code	7610917156696
Country of production	Made in Switzerland
Model year	2023